




भारत का राजपत्र

The Gazette of India

प्राधिकार से प्रकाशित
PUBLISHED BY AUTHORITY



सं० 7] नई दिल्ली, शनिवार, फरवरी 17, 1996 (माघ 28, 1917)
No. 7] NEW DELHI, SATURDAY, FEBRUARY 17, 1996 (MAGHA 28, 1917)

इस भाग में भिन्न पृष्ठ संख्या दी जाती है जिससे कि यह अलग संकलन के रूप में रखा जा सके
[Separate paging is given to this Part in order that it may be filed as a separate compilation]

भाग III—खण्ड 2 [PART III—SECTION 2]

पेटेंट कार्यालय द्वारा जारी की गई पेटेंटों और डिजाइनों से सम्बन्धित अधिसूचनाएं और नोटिस
[Notifications and Notices Issued by the Patent Office relating to Patents and Designs]

THE PATENT OFFICE
PATENTS AND DESIGNS

Patent Office Branch,
61, Wallajah Road,
Madras-600002.

Calcutta, the 17th February 1996

ADDRESS AND JURISDICTION OF OFFICES OF
THE PATENT OFFICE

The States of Andhra Pradesh, Karnataka, Kerala,
Tamilnadu and the Union Territories of Pondicherry,
Laccadive, Minicoy and Amindivi Islands.

The Patent Office has its Head Office at Calcutta and
Branch Offices at Bombay, Delhi and Madras having territorial Jurisdiction on a zonal basis as shown below :—

Telegraphic address "PATENTOFIS".

Patent Office Branch,
Todi Estates, III Floor, Lower Parel (West),
Bombay-400 013.

Patent Office (Head Office),
"NIZAM PALACE", 2nd M.S.O.
Building, 5th, 6th and 7th Floor,
234/4, Acharya Jagadish Bose Road,
Calcutta-700020.

The States of Gujarat, Maharashtra and Madhya Pradesh and the Union Territories of Goa, Daman and Diu and Dadra and Nagar Haveli.

Rest of India

Telegraphic address "PATOFFICE".

Telegraphic address "PATENTS".

Patent Office Branch,
Unit No. 401 to 405, III Floor,
Municipal Market Building,
Saraswati Marg, Karol Bagh,
New Delhi-110 005.

All applications, notices, statements or other documents or any fees required by the Patents Act, 1970 or the Patents Rules, 1972 will be received only at the appropriate Offices of the Patent Office.

The States of Haryana, Himachal Pradesh, Jammu and Kashmir, Punjab, Rajasthan and Uttar Pradesh and the Union Territories of Chandigarh and Delhi.

Fees :—The fees may either be paid in cash or may be sent by Money Order payable to the Controller at the appropriate Offices or by bank draft or cheque, payable to the Controller drawn on a scheduled bank at the place where the appropriate office is situated.

Telegraphic address "PATENTOFIC".

पेटेंट कार्यालय

एकम्ब तथा अभिकल्प

कलकत्ता, दिनांक: 17 फरवरी 1996

पेटेंट कार्यालय के कार्यालयों के पते एवं क्षेत्राधिकार

पेटेंट कार्यालय का प्रधान कार्यालय कलकत्ते में अवस्थित है तथा बम्बई, दिल्ली एवं मद्रास में इसके शाखा कार्यालय हैं, जिनके प्रादेशिक क्षेत्राधिकार जोन के आधार पर निम्न रूप में प्रदर्शित हैं।

पेटेंट कार्यालय शाखा, टोडरी इस्टेट
तीसरा तल, लांअर परेल (पश्चिम),
बम्बई-400013।

गुजरात, महाराष्ट्र तथा मध्य प्रदेश, राज्य क्षेत्र एवं संघ शासित क्षेत्र गोवा, दमन तथा दीव एवं दादरा और नगर हवेली।

तार पता—“पेटेंटोफिस”

पेटेंट कार्यालय शाखा,
एकक सं. 401 से 405, तीसरा तल,
नगरपालिका आजार भवन,
सरस्वती मार्ग, काल बाग,
नई दिल्ली-110005।

हरियाणा, हिमाचल प्रदेश, जम्मू तथा कश्मीर, पंजाब राज्यपाल तथा उत्तर प्रदेश राज्य क्षेत्रों एवं संघ शासित क्षेत्र चण्डीगढ़ तथा दिल्ली।

तार पता—“पेटेंटोफिस”

पेटेंट कार्यालय शाखा,
61, बालासाहू रोड,
मद्रास-600002।

आन्ध्र प्रदेश, कर्नाटक, केरल, तमिलनाडु राज्य क्षेत्र एवं संघ शासित क्षेत्र पाण्डिचेरी, लक्षद्वीप, मिनिक्काय तथा एरिनिदिदि द्वीप।

तार पता—“पेटेंटोफिस”

पेटेंट कार्यालय (प्रधान कार्यालय),
निजाम पैलेस, द्वितीय बहुस्तरीय कार्यालय,
भवन, 5, 6 तथा 7वां तल,
234/4, आचार्य जगदीश बोस रोड,
कलकत्ता-700020।

भारत का अवशेष क्षेत्र।

तार पता—“पेटेंटोफिस”

पेटेंट अधिनियम, 1970 या पेटेंट नियम, 1972 में अपेक्षित सभी आवश्यक पत्र, सूचनाएं, विवरण या अन्य प्रलेख पेटेंट कार्यालय के वेबसाइट उपयुक्त कार्यालय में ही प्राप्त किये जायेंगे।

शुल्क — शर्तों की अदायगी या तो नकद की जायगी अथवा उपयुक्त कार्यालय में नियंत्रक को भुगतान योग्य धनादेश अथवा बैंक वादश या कहीं उपयुक्त कार्यालय अवस्थित है; उस स्थान के शाखा कार्यालय तब तक कि शाखा को भुगतान योग्य बैंक ड्राफ्ट अथवा बैंक द्वारा की जा सकती है।

ALTERATION OF DATE UNDER SECTION-16

176167—Filed on 02-08 1989.

(683 Dcl/89)—Ante-dated to 09-09-1986.

APPLICATION FOR PATENT FILED AT THE HEAD
OFFICE, 234/4, ACHARYA JAGADISH BOSE ROAD,
CALCUTTA-20.

The dates shown in the crocent bracket are the dates claimed
under section 135, of the Patent Act, 1970

The 08th November 1995

1414/Cal/95. Daewoo Electronics Co., Ltd. Power supply for compensating a failed voltage.

1415/Cal/95. Elpatronic Ag. Guide Rail, in particular A Z Rail for a resistance welding machine.

1416/Cal/95. Ohio Electronic Engravers, Inc. Engraving method and apparatus. (Convention No. 08/4234592; filed on 4-5/95; in U.S.A.).

1417/Cal/95. Siemens AG Oesterreich. Converter circuit. (Convention No. A2119/94; on 16/11/94; in Austria).

1418Cal/95. General Electric Company. Dual Outlet turbo-charger and twin aftercoolers for Alco R 251 Diesel Engine. (Convention No. 08/355,719; on 14/12/94; in U.S.A.).

The 09th November 1995

1419/Cal/95. Ravi Ray. A Stove.

1420/Cal/95. Sintermetal S. a. Piston and piston-rod guide unit for hydraulic shock absorbers. (Convention No. P9402340; filed on 15/11/94; in Spain).

1421/Cal/95. PPG Industries, Inc. Zinc Phosphate coating containing an accelerator. (Convention No. 08/344 441; in U.S.A. on 23/11/94).

The 10th November 1995

1422/Cal/95. Daewoo Electronics Co. Ltd. Actuated mirror array driving circuit having a Dac.

1423/Cal/95. Daewoo Electronics Co. Ltd. Pixel data correction apparatus for use with an actuated mirror array.

1424/Cal/95. Six Grid Limited. An electronic shooting game apparatus. (Convention Nos. 940880 & 950567; on 11/11/94 & 24/07/95 in Ireland).

1425/Cal/95. Elpatronic Ag. Process for the initial operation or changeover of sheet metal processing machine and a modular magazine for carrying out the process.

1426/Cal/95. Emission Gesellschaft fur emissionstechnologie MBH. Double-wall-d housing, in particular for exhaust catalysts of motor vehicles. (Convention No. P4445 557.7; filed on 20/12/94; in Germany).

PART III—
1427/Cal/95. AB Tall (holdings) Pty Ltd. Osmolyte Regulator. (Convention Nos. PM9425 & PN4615; 15/11/94 & 7/8/1995; in Australia).

The 13th November 1995

1428/Cal/95. Hari Machines Limited. Packaged Biological filter for industrial Effluent.

1429/Cal/95. Philips Electronics N. V. Electric Lamp.

1430/Cal/95. Britax Ramsfords Pty. Ltd. A Detent Mechanism. (Convention No. PM9423; on 14/11/94; in Australia).

1431/Cal/95. Engelhard Corporation. Air Separation process. (Convention No. 08/342,320, on 18/11/94; in U.S.A.).

1432/Cal/95. (1) Ecodor N. V. (2) Unikeller Deutschland GmbH. Binding-agent Composition for the production of fibrous webs and processes for the production of fibrous-web Mouldings. (Convention No. P4441765.9; on 24/11/94; in Germany).

The 13th November 1995

1433/Cal/95. Coronet-Werke GMBH. Personal Hygiene and tooth Brush. (Convention No. P4444926.7; filed on 16/12/94; in Germany).

1434/Cal/95. Siemens Aktiengesellschaft. Method and arrangements for measuring a magnetic field, using the Faraday effect, with compensation of intensity changes and temperature influences. (Convention No. P4446425.8; on 23/12/94; in Germany).

1435/Cal/95. Siemens Aktiengesellschaft. Method and arrangement for measuring a magnetic field with two signals running in opposite directions and using the Faraday effect, with compensation of intensity changes. (Convention No. P4443948.2; on 9/12/94, in Germany).

1436/Cal/95. LG Electronics Inc. Device for producing Hexagonal water. (Convention No. P94-30282; on 17/11/94; in Republic of Korea) & U 95-48; on 5/1/95; in Republic of Korea).

1437/Cal/95. Pier Luigi Luisi. Blendpolymers.

1438/Cal/95. Recovery Engineering Inc. End of life mechanism for water treatment cartridge. (Convention No. 08/341,420; on 17/11/94; in U.S.A.).

1439/Cal/95. Virtual Machine works inc. Programmable Multiplexing input/output port.

1440/Cal/95. Mr. Kuljeng Wong. Earth Energy Motor.

1441/Cal/95. Daewoo Electronics Co., Ltd. Optical pickup system for use with an optical disk having multiple recording surfaces.

1442/Cal/95. Daewoo Electronics Co. Ltd. Inclination sensing apparatus for use in a projector.

1443/Cal/95. Daewoo Electronics Co., Ltd. Method for self-Diagnosing a Television Receiver.

The 13th November 1995

1444/Cal/95. Daewoo Electronic Co., Ltd. Apparatus for encoding variable-length codes and segmenting variable-length codewords thereof.

COMPLETE SPECIFICATION ACCEPTED

Notice is hereby given that any person interested in opposing the grant of patents on any of the Applications concerned, may, at any time within four months of the date of this issue or within such further period not exceeding one month, applied for on Form-14 prescribed under the Patents Rules, 1972 before the expiry of the said period of four months, given notice to the Controller of Patents at the appropriate office on the prescribed Form-15, of such oppo-

sition. The written statement of opposition should be filed alongwith the said notice or within one month of its date as prescribed in Rule-36 of the Patents Rules, 1972.

The classifications given below in respect of each specification are according to Indian Classification and International Classification.

Typed or photo copies of the specifications together with photo copies of the drawings, if any, can be supplied by the Patent Office, Calcutta or the appropriate Branch Office on payment of the prescribed copying charges which may be ascertained on application to that office. Photo copying charges may be calculated by adding the number of pages in the specification and drawing sheets mentioned below against each accepted specification and multiplying the same by two to get the charges as the copying charges per page is Rs. 2/-.

स्वीकृत सम्पूर्ण विनिर्देश

एतद्वारा यह सूचना दी जाती है कि सम्बद्ध आवेदनों में से किसी पर पेटेंट अनुदान के विरोध करने के इच्छुक कोई व्यक्ति, इसके निर्गम की तिथि से चार (4) महीने या आगम ऐसी अवधि जो उक्त 4 महीने की अवधि की समाप्ति के पूर्व पेटेंट नियम, 1972 के तहत विहित प्रपत्र 14 पर आवेदित एक महीने की अवधि से अधिक न हो, के भीतर कभी भी नियन्त्रक, एक्स्व के उपर्युक्त कार्यालय में ऐसे विरोध की सूचना विहित प्रपत्र 15 पर दे सकते हैं। विरोध सम्बन्धी लिखित वक्तव्य, उक्त सूचना के साथ अथवा पेटेंट नियम, 1972 के फाइन 36 में यथा विहित इसकी तिथि के एक महीने के भीतर ही फाइल किए जाने चाहिए।

"प्रत्येक विनिर्देश के संदर्भ में नीचे दिए वर्गीकरण, भारतीय वर्गीकरण तथा अन्तरराष्ट्रीय वर्गीकरण के अनुरूप हैं।"

स्वाकल (चित्र आरेखों) की फोटों प्रतियां यदि कोई हो, के साथ विनिर्देशों के टंकित अथवा फोटो प्रतियों को आपूर्ति पेटेंट कार्यालय, कलकत्ता अथवा उपर्युक्त शाखा कार्यालय द्वारा विहित लिप्यान्तरण प्रभार जिसे उक्त कार्यालय से पत्र व्यवहार द्वारा प्राप्त करने के उपरान्त उसकी अदायगी पर की जा सकती है। विनिर्देश की पृष्ठ संख्या के साथ प्रत्येक स्वीकृत विनिर्देश के सामने नीचे वर्णित चित्र आरेख कागजों को जोड़कर उसे 2 से गुणा करके, (क्योंकि प्रत्येक पृष्ठ का लिप्यान्तरण प्रभार 2/- रु. है) फोटो लिप्यान्तरण प्रभार का परिकलन किया जा सकता है।

Ind. Cl. : 84 B.

176161

Int. Cl. : C 10 L 1/10, 1/12.

A PROCESS FOR PREPARING A METAL MANNICH COMPLEX FOR USES ON ADDITIVE IN FUEL OIL.

Applicant : THE LUBRIZOL CORPORATION, OF 29400 LAKELAND BOULEVARD WICKLIFFE, OHIO 44092 U.S.A. A CORPORATION OF THE STATE OF OHIO, UNITED STATES OF AMERICA.

Inventors : FREDERICK W. KOCH, GAIL A. EVANS, CASPER T. DORER, JR. AND ALAN A. DEL PAGGIO.

Application for Patent No. 803/Del/86 filed on 9-09-86.

Appropriate office for filing opposition proceedings (Rule 4, 1972) Patent Office Branch, Karol Bagh, New Delhi-110005.


A process for preparing a metal mannich complex for use as an additive in fuel oils such as herein described said process comprises reacting

(A) a compound having the formula



Wherein Ar is an aromatic group as herein described or a coupled aromatic group as herein described wherein m is 1, 2, or 3, wherein n is an integer from 1 to 4, wherein R^0 independently, is hydrogen or a hydrocarbyl having from 1 to 100 carbon atoms, wherein R^0 is H, amino or carboxyl, and wherein X is O, S, or both when m is 2 or greater.

(B) a compound having the formula



or a precursor thereof wherein R^1 and R^2 , independently, is hydrogen, a hydrocarbon having from 1 to 18 carbon atoms, or wherein R^3 is a carbonyl or a carboxyl containing hydrocarbon having from 11 to 18 carbon atoms.

(C) a hydroxyl-containing amine compound, a thiol containing amine compound or a hydroxyl-thiol containing amine compound, as herein described,

(D) at least one transition metal containing agent such as herein described and

(E) a Schilf base.

(Compl. Specn. 40 pages

Drng. 1 sheet)

Ind. Cl. : 50 B

176162

Int. Cl. : B 01 F 9/00, 11/00.

A PROCESS FOR THE PREPARATION OF SUPPORTED TRANSITION-METAL CONTAINING CATALYST COMPONENT.

Applicant : EXXON CHEMICAL PATENTS, INC., A CORPORATION ORGANIZED UNDER THE LAWS OF THE STATE OF DELAWARE, U.S.A., OF 1900 E. LINDEN AVENUE, LINDEN, NEW JERSEY 07036-0710, UNITED STATES OF AMERICA.

Inventor : HOWARD CURTIS WELBORN.

Application No. 974/Del/86 filed on 5-11-86.

Appropriate office for opposition proceedings (Rule 4, Patents Rules, 1972) Patent Office Branch, New Delhi-110 005.

10 Claims

A process for the preparation of a supported transition metal containing catalyst component comprising reacting a metallocene of a group IVB or VB metal of the Periodic Table with a non-metallocene transition metal compound of the kind such as herein described and a catalyst support material of the kind such as herein described in any conventional diluent and recovering in any known manner the supported catalyst component, the said metallocene being represented by the formula:

- (i) $(Cp)_m MR_n X_q$
- (ii) $(C_5R'_k)_g R''_s (C_5R'_k)_2 MQ_{3-g}$ or
- (iii) $R''_s (C_5R'_k)_2 MQ$

wherein Cp is a cyclopentadienyl ring, M is a Group IVB or VB transition metal, X is a halogen, R is a hydride, a hydrocarbyl or hydrocarboxy group having from 1 to 20 carbon atoms, $m=1-3$, $n=0-3$, $q=0-3$ and the sum of $m + n + p$ is sufficient to saturate M, $(C_5R'_k)$ is a cyclopentadienyl or a substituted cyclopentadienyl, each R' is the same or different and is hydrogen or a hydrocarbyl radical selected from alkyl, alkenyl, aryl, alkaryl or arylalkyl radicals containing from 1 to 20 carbon atoms, or two carbon atoms are joined together to form a C_4-C_8 ring, R'' is a C_1-C_4 alkylene radical, a dialkyl germanium or silicon or an alkyl phosphine or amine radical bridging two $(C_5R'_k)$ rings; q is a hydrocarbyl radical selected from aryl, alkenyl, alkaryl, or arylalkyl radicals having from 1-20 carbon atoms, hydrocarboxy radical having from 1-20 carbon atoms or halogen and can be the same or different from each other, Q is an alkylidene radical having from 1 to 20 carbon atoms; s is 0 or 1; g is 0, 1 or 2, s is 0 when g is 0, k is 4 when s is 1 and k is 5 when s is 0.

(Compl. Specn. 29 pages

Drng. Nil sheet)

Ind. Cl. : 9 D

176163

Int. Cl. : C 22 C, 38/12, 38/18

A PROCESS FOR THE PRODUCTION OF HIGH SPEED CAST STEEL FOR USE AS HIGH SPEED CUTTING TOOL.

Applicant : COUNCIL OF SCIENTIFIC AND INDUSTRIAL RESEARCH, RAJ MARG, NEW DELHI-110 001, INDIA, AN INDIAN REGISTERED BODY INCORPORATED UNDER THE REGISTRATION OF SOCIETIES ACT (ACT XXI OF 1860).

Inventors : RADHAKRISHNA DUBEY AND SANTIPADA CHAKRABORTY.

Application No. 912, Del-88 filed on 24-10-88.

Appropriate office for opposition proceedings (Rule 4, Patents Rules, 1972) Patent Office Branch, New Delhi-110 005.

6 Claims

A process for the production of high speed cast steel for use as high speed cutting tool which comprises :

- (a) Melting of high speed steel scrap or mild steel along with ferro alloys like ferro tungsten, ferro chrome, ferro vanadium and the like so as to get melting composition in the range of 17-19% tungsten, 4-5% chromium and 1-1.5% vanadium with carbon in the range of 0.75 to 0.95%.
- (b) Pouring the melt into a ladle.
- (c) Adding additives such as ferro boron, ferro titanium, ferro zirconium, ferro niobium and the like (total 0.5% max.) for controlling the grain size during pouring of the melt in the ladle.
- (d) Casting of the resultant melt in shell moulds or graphite moulds to the desired final shape, at a temperature of $1400^\circ C \pm 10^\circ C$.
- (e) Subjecting the resultant cast steel to pre-spheroidizing treatment at a temperature in the range of 850° to $900^\circ C$ followed by spheroidizing at a temperature in the range of 1250° to $1320^\circ C$ with proper soaking time of 5-15 min. to break the harmful eutectic network and distribute uniformly throughout the matrix in more or less globular shape cooling in air.
- (f) Hardening and tempering by conventional methods in a manner as herein described and
- (g) Cleaning of the steel by grinding.

(Compl. Specn. 10 pages

Drng. Nil sheet)

Ind. Cl.: 40B

176164

Int. Cl.: B 01J, 21/04, 23/78

Title: A PROCESS FOR THE PREPARATION OF CATALYST COMPOSITE MATERIAL USEFUL FOR THE FLUID CATALYTIC CRACKING OF PETROLEUM FRACTION.

Applicant: COUNCIL OF SCIENTIFIC AND INDUSTRIAL RESEARCH RAJ MARG, NEW DELHI-110 001, INDIA, AN INDIAN REGISTERED BODY INCORPORATION UNDER THE REGISTRATION OF SOCIETIES ACT (ACT XXI OF 1860).

Inventors: SUBRAMANIAN SIVASANKER, MOHAN PARASHURAM KULKARNI, ANIL PURUSHOTHAM BUDHKAR & PAUL RATNASAMY.

Application No.: 913/Del/88 filed on 24-10-88.

Appropriate office for opposition proceedings (Rule 4, Patents Rules, 1972) Patent Office Branch, New Delhi-110 005.

(Claims 7)

A process for the preparation of a catalyst composite material useful for the fluid catalytic cracking of petroleum fractions and having a general composition in terms of oxides of formula $0.3\text{Na}_2\text{O} : 60-140 \text{ SiO}_2 : 0-100 \text{ M}_2\text{O}_3 : 0-80 \text{ MgO}$, which comprises reacting a zeolite of the faujasite as herein described, a crystalline ferrisilicate having composition in terms of mole ratios of oxides of formula;

$0.0-4 \text{ Na}_2\text{O} : \text{M}_2\text{O}_3 : 30-360 \text{ SiO}_2 : 0-10 \text{ H}_2\text{O}$

wherein M is iron with a matrix comprising silico-alumina or silico-magnesia alumina or clay or mixture thereof to get the said catalyst composite material.

(Complete Specification 17 pages, Drawing Sheet Nil)

Ind. Cl.: 62I.

176165

Int. Cl.: D 96F, 37/40.

Title: AUTOMATIC LAUNDRY WASHER.

Applicant: WHIRLPOOL CORPORATION, 2000 M-63, BENTON HARBOR, MICHIGAN 49022, UNITED STATES OF AMERICA, A CORPORATION ORGANISED AND EXISTING UNDER THE LAWS OF STATE OF DELAWARE.


Inventors: ROBERT ALEX BRENNER & ANTHONY MASON.

Application No.: 1054/Del/88 filed on 1-12-88

Appropriate office for opposition proceedings (Rule 4, Patents Rules, 1972) Patent Office Branch, New Delhi-110 005.

(Claims 11)

An automatic laundry washer comprising:
a wash tub (14) for containing wash liquid;
a spin basket (16) rotatably mounted within said wash tub;
a vertical axis agitator (18) mounted within said spin basket on a drive shaft (20) extending through said spin basket and said wash tub; characterised in that the means responsive to the level of wash liquid in said spin basket, for locking said spin basket to said agitator or said wash tub.



(Complete Specification 16 pages, Drawing Sheets Three)

Ind. Cl.: 52u

176166

Int. Cl.: B26F 1/18.

Title: A ROLL OF EXTRUDED CONTINUOUS CLAY FLAT PLASTIC TUBING MATERIAL.

Applicant: LOURENCE CORNELIUS JOHANNES GREY-VENSTEIN, OF 150 SENIOR DRIVE, NORTHCLIFF, JOHANNESBURG, SOUTH AFRICA.

Inventors: LOURENCE CORNELIUS JOHANNES GREY-VENSTEIN.

Application for Patent No. 421/Del/89 filed on 15-5-89.

Appropriate office for opposition proceedings (Rule 4, Patents Rules, 1972) Patent Office Branch, New Delhi-110 005.

(Claims 8)

A roll of extruded continuous lay flat plastic tubing having longitudinal sides and provided with transverse lines of perforations, at least some of said transverse lines of perforations being in the form of a wave characterized in that the perforations constituting each said wave line are of different lengths with those portions of the wave line midway between crests and valleys of said waveform being constituted by perforations in the form of continuous cuts of substantially greater length than the perforations forming the remainder of said wave line.

(Complete Specification 17 pages Drawing Sheets 3).

Ind. Cl.: 84B

176167

Int. Cl.: C 10L, 1/10, 1/12

Title: A PROCESS FOR THE PREPARATION OF A METAL MANNICH COMPLEX ADDITIVE.

Inventors: FREDERICK WILLIAM KOCH, GAIL ANN EVANS, CASPER JOHN DORER & ALAN ANTHONY DEL PAGGIO

Applicant: THE LUBRIZOL CORPORATION, a corporation organised under the laws of the State of Ohio, U.S.A., of 29400 Lakeland Boulevard, Wickliffe, Ohio 44092, United States of America.

Application for Patent No.: 683 Del/89 Filed on 2 Aug 1989.

Ante-date 9-9-86.

Divisional to Patent Application No. 803/Del/86 filed on 9-9-86.

Appropriate office for opposition proceedings (Rule 4, Patents Rules, 1972) Patent Office Branch, New Delhi-110 005.

(Claims 13)

A process for preparing a metal mannich complex additive, said process comprises reacting (A) a hydrocarbyl substituted hydroxyl and/or thiol containing aromatic compound having the formula



Wherein Ar is an aromatic group as herein described or a coupled aromatic group as herein described, wherein m is 1, 2 or 3, wherein n is an integer from 1 to 4, where R^1 independently, is hydrogen or a hydrocarbyl having from 1 to 100 carbon atoms, wherein R^0 is H, amino or carboxyl, and wherein X is O, S, or both when m is 2 or greater.

(B) a hydrocarbon having the formula,



or a precursor thereof wherein R^2 and R^3 , independently, is hydrogen or a hydrocarbon having from 1 to 18 carbon atoms, or wherein R^2 is a carbonyl or a carboxyl containing hydrocarbon having from 1 to 18 carbon atoms.

(C) a hydroxyl-containing amine compound, a thiol containing amine compound, or a hydroxyl-thiol containing amine compound, as herein described.

(D) at least one transition metal containing agent such as herein described and

(E) a Schiff base.

(Complete Specification 29 pages, Drawing Sheet one)

Ind. Cl.: 62C(1)

176168

Int. Cl.: C09B, 62/030

Method for the preparation of a triphenodioxazine reactive dye.

Applicant: IMPERIAL CHEMICAL INDUSTRIES PLC, of Imperial Chemical House, Millbank, London SW1P 3TF, England

Inventor: DENIS ROBERT ANNESLEY RIDYARD, PETER SMITH.


Application for Patent No. 684/Del/89 filed on 2-8-89.

Convention date 17-8-88, 13-10-88/8819534.2, 8824344.9/GB.

Appropriate office for opposition proceedings (Rule 4, Patents Rules, 1972) Patent Office Branch, New Delhi-110 005.

(Claims 8)

A method for the preparation of a triphenodioxazine reactive dye comprising at least one fibre-reactive group which dye in the acid form has the formula;



wherein:

R^1 represent H or a group of the formula $-\text{N}-\text{Z}$; R^2

wherein Z represents a fibre reactive group,

each of T^1 and T^2 , independently, represent H, Cl, Br, F, SO_3H or an optionally substituted alkyl or aryl radical;

each A^1 and A^2 represent alkyl alkoxy, Cl, Br, COOH , SO_3H or optionally substituted sulphonamoyl;

n has a value of 0, 1 or 2;

m has a value of 1 or 2;

each of R^3 and R^4 , independently represents H or an optionally substituted hydrocarbon radical;

D represents a group of the formula R^4-N or $\text{R}^4(\text{O})_6$ wherein R^4 R^5

represents H, an optionally substituted hydrocarbon radical free from fibre reactive residues or an acyl radical;

R^6 represents H or an optionally substituted hydrocarbon radical;

R^7 represents H or an optionally substituted hydrocarbon radical free from fibre-reactive residues;


B represents an optionally substituted divalent hydrocarbon radical;

Q represents 0 or 5; and

a has a value of 0 or 1,

with the proviso that when D is NH_2 , B is an arylene radical, which method comprises;

reacting an acylating agent such as herein described capable of introducing a fibre-reactive group 7 with an unsymmetrical triphenodioxazine of the formula;



wherein

D^1 represents a group of the formula $\text{R}^5\text{NH}-$ or R^6 (D^1) $_6$ and R^{10} represents H or a group of the formula NR^3H with the proviso that when R^{10} is H, D^1 is $\text{R}^5\text{NH}-$, the symbols T^1 , T^2 , A^1 , A^2 , H, m , R^2 , R^3 , R^5 , R^6 , O, a and B having the meanings stated herein.

(Complete Specification 47 Pages Drawing Sheets nil)

Ind. Cl. : 126 C LVIII (6) 176169
Int. Cl.⁴ : G01R 13/00

SOLID STATE ELECTRICITY METER.

Applicant : SANGAMO WESTON of 180 Technology Drive, Norcross, State of Georgia 30092, United States of America.

Inventors : RAY STEVESN, DUANE PERRY.

Application for Patent No. 690 DEL 89 filed on 3-8-89.

Appropriate office for opposition proceedings (Rule 4, Patents Rules, 1972) Patent Office Branch, New Delhi-110 005.

(Claims 3)

A solid state electricity meter, comprising:

a line voltage measuring circuit for measuring line voltage;

a line current measuring circuit for measuring line current;

a multiplier circuit coupled to an output of each of said line voltage measuring circuit and said line current measuring circuit for multiplying together said measurements to obtain the magnitude and direction of line power;


a comparator having a first input coupled to an output of said multiplier circuit;

a first memory coupled to a second input of said comparator for storing a plurality of reference line power having predetermined magnitudes, said comparator comprising a line power obtained from said multiplier circuit with said plurality of references stored in said first memory;

a control circuit coupled to an output of said first memory means;

a second memory coupled to said control means for storing a plurality of different non-alphanumeric indicia;

a non-alphanumeric display comprising a single linear series of segments coupled to said control circuit, said control circuit being responsive to said comparator for applying to said display selected ones of said non-alphanumeric indicia to form a vector representation of the magnitude and direction of measured line power.



(Complete Specification 15 pages Drawing Sheets 4.)

Ind. Cl. : 55F 179F 189. 176170
Int. Cl.⁴ : A 61K 7/16.

A PROCESS FOR THE PREPARATION OF A STORAGE STABLE PACKED ANTITARTAR, ANTIPLAQUE DENTIFRICE COMPOSITION.

Applicant : COLGATE-PALMOLIVE COMPANY, of 300 Park Avenue, New York 10022, United States of America.

Inventor : ABDUL GAFFAR.

Application for Patent No. 591 Del 91 filed on 3-7-1991.

Appropriate office for opposition proceedings (Rule 4, Patents Rules, 1972) Patent Office Branch, New Delhi-110 005.

(Claims 13)

A process for the preparation of a storage stable packed anti-tartar antiplaque dentifrice composition contained in a hand-holdable, finger activated floating piston pump dispenser having solid polymeric material such as herein described in contact with said composition said process comprising, mixing in an orally acceptable vehicle 0.1 to 1% by weight of a substantially water insoluble non-cationic antiplaque activity for which has been found to be lost on storage in said container, 0.1 to 3% by weight of a polyphosphate antitartar agent such as herein described; and the balance if any comprising a source of fluoride ions such as herein described; a synthetic anionic polymeric carboxylate such as herein described; a stabilizer such as a terpene and/or a flavouring agent such as herein described which inhibits such loss

(Complete Specification 38 Pages Drawing Sheet 1)

Ind. Cl. : 40-B, 32-E IV(1) 176171
Int. Cl.⁴ : B 01 J 23/00.

METHOD FOR PREPARING AN OLEFIN POLYMERIZATION CATALYST.

Applicant : EXXON CHEMICAL PAINTS, INC., OF 1900 E. LINDEN AVENUE, LINDEN, NEW JERSEY 07036-0710, UNITED STATES OF AMERICA.

Inventor : HOWARD WILLIAM TURNER.

Application for Patent No. 1074/Del/86 filed on 8-12-86.

Appropriate office for filing opposition proceedings (Rule 4, Patents Rules 1972), Patent Office Branch, Karol Bagh, Delhi-110 005.

9 Claims

A method for preparing an olefin polymerization catalyst comprising at least one metallocene of a transition metal of Group IVB, VB, VIB, and VIII of the Periodic Table and an alumoxane, characterised in that at least one metallocene and alumoxane are contacted in an inert hydrocarbon of the kind as herein described, and wherein the aluminum to transition metal ratio in the catalyst is in the range of 12 to 100 on a molar basis.

(Compl. specn. 23 pages

Drg. sheet Nil)

Ind. Cl. : 170 B&D 176172
Int. Cl.⁴ : C11D 1/02.

A METHOD OF PRODUCING A FREE FLOWING, HIGH ACTIVE ANIONIC DETERGENT.

Applicant : CUSONS (INTERNATIONAL) LIMITED, OF BRIDGEWATER HOUSE, 60 WHITWORTH STREET, MANCHESTER M1 6LU, ENGLAND.

Inventor : LYCOURGOS LOUDIADIS, JOHN MADEN.

Application for Patent No. 675/Del/89 filed on 31-7-89.

Convention date 5-10-88/8818613.5/GB.

Appropriate office for filing opposition proceeding (Rule 4, Patents Rules 1972), Patent Office Branch, Karol Bagh, Delhi-110 005.

9 Claims

A method of producing a free flowing, high active, anionic detergent which comprises absorbing in any conventional manner an anionic surfactant acid of the kind such as herein described onto a powdered or granular material comprising an alkaline material of the kind such as herein described to form an agglomerate without the addition of water in the agglomeration stage the amount of said anionic surfactant acid being in the range of 12% to 40% by wt. based on the weight of the final product and the amount of said powdered or granular material is in the range of from 60% to 95% by wt. based on the weight of the final product.

(Compl. specn. 14 pages)

(Drg. sheet nil.)

Ind. Cl. : 206 EL XII

176173

Int. Cl. : H 04 H 1/00.

DEVICE FOR AUTOMATICALLY ADJUSTING WITHOUT HUMAN INTERVENTION, THE OPERATING PARAMETERS OF A MOBILE RADIO.

Applicant : MOTOROLAN INC., OF 1303 EAST ALGNQUIN ROAD, SCHAUMBURG, ILLINOIS 60196 UNITED STATES OF AMERICA.

Inventors : RICHARD CAMERON SADERS, WILLIAM DENNIS WERNER, SCOTT MAURICE HALL.

Application for Patent No. 706/Del/89 filed on 8-8-89.

Appropriate office for filing opposition proceedings (Rule 4, Patents Rules 1972), Patent Office Branch, Karol Bagh, Delhi-110 005.

2 Claims

Device for automatically adjusting, without human intervention, the variable operating parameters of a mobile radio which comprises :

Means for determining the geographical location of said radio; and

means responsive to said determining means for automatically selecting at least one variable operating parameter of said radio;

characterised in that

said selection means comprises one or more multi-way switches connected to said determining means and capable of connection to respective means representative of said variable operating parameters whereby, on receipt of a signal from said determining means representative of the radio's location, said selection means activates said switches for connection with the respective means representing each variable operating parameter.

(Compl. specn. 8 pages)

(Drg. sheet 1)

Ind. Cl. : 104 J

176174

Int. Cl. : C08K 3/04.

SYNERGISTIC ELASTOMERIC COMPOSITION FOR MAKING REINFORCED ARTICLES SUCH AS TIRES, RUBBERHOSE.

Applicant : ALLIED-SIGNAL INC., OF COLUMBIA ROAD AND PARK AVENUE, MORRIS TOWNSHIP, MORRIS COUNTRY, NEW JERSEY 07960; UNITED STATES OF AMERICA.

Inventor : DUSAN CIRIL PREVORSEK, YOUNG DOD KWON, CHARLES W. BERINGER, HUGH HARVEY ROWAN.

Application for Patent No. 880/Del/89 filed on 04-10-89.

Appropriate office for filing opposition proceedings (Rule 4, Patents Rules 1972), Patent Office Branch, Karol Bagh, Delhi-110 005.

7 Claims

A short fiber of from 0.1 to 1.0 inches in length having a modulus of less than 1×10^{11} dynes/cm², preferably less than 0.6×10^{11} dynes/cm². Preferably the fiber is a polyamide having a birefringence value of from 0.02 to 0.04. Elastomeric compositions containing the short fiber exhibit improved fatigue resistance, lower heat generation upon cyclic/estraining and improved modulus. The compositions

and particularly useful in compositions further comprising from 25 to 175 phr of fillers such as carbon black and silicon dioxide. Useful articles which contain the composition include tires, hose, power transmission belts, conveyor belts, and various mechanical goods.

(Compl. specn. 32 pages)

(Drawg. 2 sheets)

Ind. Cl. : 40 B

176175

Int. Cl. : B 01J 29/34, 37/30.

A PROCESS FOR THE PREPARATION OF A CRYSTALLINE FERRISILICATE CATALYST COMPOSITE MATERIAL.

Applicant : COUNCIL OF SCIENTIFIC AND INDUSTRIAL RESEARCH, RAFI MARG, NEW DELHI-110001.

Inventors : ASHA JEEVAN CHANDWADKAR, PAUL RATNASAMY.

Application for Patent No. 895/Del/95 filed on 06-10-89.

Appropriate office for filing opposition proceedings (Rule 4, Patent Rules, 1972), Patent Office Branch, New Delhi-110 005.


7 Claims

A process for the preparation of a crystalline ferrisilicate catalyst composite material characterized by the x-ray diffraction pattern as follows :

specimen	2θ	intensity
1	13.40	H
2	10.72	M
3	7.06	H
4	6.87	H
5	6.38	H
6	6.06	H
7	5.80	H
8	5.78	H
9	3.77	H
10	3.43	M
11	3.77	H
12	2.64	H
13	3.47	H
14	3.38	H
15	3.25	M
16	3.10	H
17	2.91	H
18	2.80	H
19	2.56	H
20	2.52	H

H = Very strong, M = Medium strong, H = Weak

and a chemical composition in terms of molar ratios of oxides by formula



where H is an alkali metal cation, R is ferric ethylammonium bromide, Y is between 0.3 to 1.0, W is in the range 1 to 50, X is below 0.1 and Z is from 0-20 which comprises mixing aqueous solutions of sources of iron, alkali metal, silicon and ferric ethyl ammonium bromide in the molar proportions in terms of ratios of oxides as under, $\text{FeO}/\text{Fe}_2\text{O}_3 = 30-80$, $\text{H}_2\text{O}/\text{Fe}_2\text{O}_3 = 20-100$, $\text{SiO}_2/\text{Fe}_2\text{O}_3 = 0.1-1.0$, $\text{R}/\text{Fe}_2\text{O}_3 = \text{below } 0.1$ where R is ferric ethyl ammonium bromide and sulphuric acid to form a gel, heating the resultant gel at autoclave pressure, and at a temperature in the range of 100-200°C till crystallisation is complete, filtering, washing and drying the resultant composite material at 120-150°C for about 12 hrs and then followed by heating in an inert or oxidising atmosphere at a temperature between 400-500°C for 10-20 hrs to form the crystalline ferrisilicate material which is converted to the catalytically active protonic form by treating with an aqueous solution of an ammonium salt followed by heating in an inert or oxidising atmosphere at a temperature between 400-500°C for 10-20 hrs.

(Compl. specn. 14 pages)

(Drawg. sheets NE)

Ind. Cl. : 201 C

176176

Int. Cl.⁴ : C01B 33/28.

AN IMPROVED PROCESS FOR THE MANUFACTURE OF CRYSTALLINE ALUMINOSILICATE DESIGNATED AS ZSM-5.

Applicant : COUNCIL OF SCIENTIFIC AND INDUSTRIAL RESEARCH, RAFI MARG, NEW DELHI-110001.

Inventors : ARVINI NARAYAN KOTASTHANE, VASUDEO PANDURANG, SHIRALKAR, PAUL RATNASAMY.

Application for Patent No. 900/Del/89 filed on 06-10-89.

Appropriate office for filing opposition proceedings (Rule 4, Patents Rules, 1972), Patent Office Branch, New Delhi-110 005.

9 Claims

An improved process for the preparation of crystalline aluminosilicate designated as ZSM-5 having the hydrogel composition in terms of mole ratio of oxides :

(5—12) R₂O : (25—40) M₂O₃ : AL₂O₃ :

(350—400) SiO₂ : (700—10000) H₂O.

where R is triethyl butyl ammonium and M is an alkali metal cation.

(Compl. specn. 25 pages)

Drwgs. sheets Nil)

Ind. Cl. : 170 D

176177

Int. Cl.⁴ C11D 11/06

DETERGENT BAR WITH IMPROVED FOAM SKIN FEEL AND METHOD FOR THE PREPARATION THEREOF.

Applicant : COLGATE-PALMOLIVE COMPANY, OF 300 PARK AVENUE, NEW YORK, 10022, UNITED STATES OF AMERICA.

Inventor : DAVID JOSHI.

Application for Patent No. 909/Del/89 filed on 06-10-89.

Appropriate office for filing opposition proceedings (Rule 4, Patents Rules, 1972), Patent Office Branch, New Delhi-110 005.

7 Claims

A detergent bar composition comprising by weight 29.286% of sodium dodecyl benzene sulfonate, 6.9% of magnesium sulfate 25% solution 21.3% of soda ash-light, 28.5% of calcium carbonate in 11.8% of sodium tripolyphosphate, 0.3% of titanium dioxide, 0.14% of stilbene brightener, 0.025% of phthalocyanine blue, 0.003% of CI pigment violet 33, 0.4% of perfume and 0.2% to 0.8% of an acrylic polymer.

(Compl. specn. 8 pages)

Drwgs. sheets Nil)

Ind. Cl. : 206 E

176178

Int. Cl.⁴ : G06F 7/00.

SYSTEM FOR CREATING AN APPLICATION PROGRAM PACKAGE.

Applicant : INTERNATIONAL BUSINESS MACHINES CORPORATION, OF ARMONK, NEW YORK 10504, UNITED STATES OF AMERICA.

Inventors : ROBERT HARRYA SATIN, DANNIS LEE SHAFFER, GARRY ALBERT TURK, DAVID LOWRY

JOHNSON, JAMES LEE NAYLOR, HENEN MARIE OLSEN-WILLIAMS.

Application for Patent No. 910/Del/89 filed on 06-10-89.

Convention date : 8827406.3/23-11-88/GB.

Appropriate office for opposition proceedings (Rule 4, Patents Rules, 1972) Patent Office Branch, New Delhi-110 005.

2 Claims

A system for creating an application program package, comprising :


a first program package having a second level replaceable unit connected to third level replaceable units linked to fourth level replaceable units linked to fifth level replaceable units, each of said third level replaceable units corresponding to a primary function of said first program package, each of said fourth level replaceable units corresponding to a secondary function of said first program package, and each of said fifth level replaceable units containing operational code or data needed to perform said secondary functions of said first program package;

a second program package having a second level replaceable unit connected to third level replaceable units linked to fourth level replaceable units linked to fifth level replaceable units, each of said third level replaceable units corresponding to a primary function of said second program package, each of said fourth level replaceable units corresponding to a secondary function of said second program package, and each of said fifth level replaceable units containing operational code or data needed to perform said secondary functions of said second program package creating a first level replaceable unit; and

linking said first level replaceable unit to said second level replaceable unit of said first program package and to said second level replaceable unit of said second program package;

wherein said first level replaceable unit, said second level replaceable unit, said third level replaceable unit and said fourth level replaceable unit contain descriptions of the function of said operational code.

FIG 6A.



Compl. specn. 46 pages

Drwgs. sheets 33)

Ind. Cl. : 145 B

176179

Int. Cl.⁴ : D21J 3/00.**"A PROCESS FOR THE PREPARATION OF SYNTHETIC PAPER".**

Applicant : COSMO FILMS LIMITED, COSMO HOUSE, 30 COMMUNITY CENTRE SAKET, NEW DELHI-110017, INDIA, AN INDIAN COMPANY.

Inventors : DEVENDRA JAIN, ANIL KUMAR MEHTA.

Application for Patent No. 932/Del/89 filed on 17-10-89.

Appropriate office for opposition proceedings (Rule 4, Patents Rules, 1972) Patent Office Branch, New Delhi-110 005.

10 Claims

A process for the preparation of synthetic paper comprising in the step of co-extruding a core layer with a skin/outer layer on at least one side thereof, said core layer comprising atleast polypropylene, said skin layer comprising atleast polystyrene and polypropylene, subjecting said co-extruded layers to the step of orientation so as to form voids or cracks on the surface of the skin or outer layer and simultaneously imparting mechanical strength and dimensional stability to the paper.

(Compl. specn. 11 pages).

Ind. Cl. : 21 B

176180

Int. Cl.⁴ : A 43 B 1/00.**IMPROVED LAMINAR SHEET MATERIAL.**

Applicant : COLGATE-PALMOLIVE COMPANY, OF 300 PARK AVENUE, NEW YORK, NEW YORK 10022, UNITED STATES OF AMERICA.

Inventors : KENNETH W. MISEVICH, THOMAS E. MINTEL.

Application for Patent No. 1053/Del/89 filed on 10-11-89.

Appropriate office for opposition proceedings (Rule 4, Patents Rules, 1972) Patent Office Branch, New Delhi-110 005.

9 Claims

An improved laminar sheet Material (24, 26) capable of yielding to non-uniform pressure and deforming to a shape which smooths out pressure distribution consisting of a plurality of superposed plies (28) characterised in that each of said plies (28) comprises a central carrier layer (30) capable of being coated or impregnated with a waxy material such as herein described, said central layer (30) incorporating a plurality of small granules (34) and/or short stiff fibers (36) dispersed within the waxy matrix provided by said waxy material.

(Compl. specn. 8 pages

Drwgs. sheets 2)

AMENDMENT PROCEEDING UNDER SECTION 57

The amendment proposed by Philips Electronics N. V. a limited liability company organized and established under the laws of the Kingdom of the Netherlands at Groenewoudseweg 1, Eindhoven the Netherlands in respect of application for Patent No. 175623 as advertised in part III Section 2 of the C O I dated 2-9-95 and no opposition being filed within the stipulated period the said amendments have been allowed.

The amendment proposed by Philips Electronics N. V. a limited liability company organized and established under the laws of the Kingdom of the Netherlands at Groenewoudseweg 1, Eindhoven, the Netherlands in respect of application for patent No. 175682 as advertised in part III, Section 2 of the Gazette of India dated 2-9-95 and no opposition being filed within the stipulated period the said amendments have been allowed.

RESTORATION PROCEEDINGS

Notice is hereby given that an application for restoration of Patent No. 165201 dated the 6th July, 1987 made by Greaves Feseco Limited on the 9th May, 1995 and notified in the Gazette of India Part III, Section 2, dated the 29th July, 1995 has been allowed and the said patent restored.

Notice is hereby given that an application was made under Section 60 of the Patents Act, 1970 for the restoration of Patent No. 169340 granted to Dev Du't Mohanty. For an invention relating to "method for the production of chromium metal."

The Patent ceased on the 9th January, 1996 due to non-payment of renewal fees within the prescribed time and the cessation of the patent was notified in the Gazette of India, Part III, Section 2 dated the 16th December, 1995.

Any interested person may give notice of opposition to the restoration by leaving a notice on Form 32 in duplicate with the Controller of Patents, The Patent Office, Nizam Palace 2nd M. S. O. Building, 5th 6th & 7th Floor, 234/4 Acharva Jagadish Bore Road, Calcutta-700 020 on or before the 17-4-1996 under Rule 6th of the Patents Rules, 1972. A Written Statement, in triplicate setting out the nature of the opponents interest the facts upon which he basis his case and the relief he seeks, shall be filed with the notice or within one month from the date of the notice.

Notice is hereby given that an application for restoration of Patent No. 172882 dated the 11th June 1991 made by Hindustan Lever Limited on the 2nd May, 1995 and notified in the Gazette of India Part III, Section 2, dated the 29th July, 1995 has been allowed and the said restored

RENEWAL FEES PAID

154496	155170	156515	156898	156992	157560	157566	157597
157598	157754	157785	157867	157937	158055	158065	158104
158132	158255	158496	158543	158699	158870	158859	158912
158934	159188	159270	159327	159352	159357	159557	159615
159895	160085	160142	160182	160708	160786	160503	160561
160562	160586	160760	160817	160818	160820	160847	160958
161074	161135	161224	161271	161384	161472	161478	161499
161512	161545	161554	161607	161898	161938	162329	162385
162491	162492	162520	162554	162593	162858	162908	162957
162997	163023	163095	163215	163224	163382	163536	163831
163970	164139	164489	164767	164820	164889	165005	165153
165439	165738	165848	165901	165903	165912	165940	166123
166224	166225	166455	166629	166656	166737	166757	166856
166887	167102	167165	167305	167306	167482	167483	167684
167956	168199	168226	168343	168375	168533	168619	168723
168821	168875	169053	169172	169253	169336	169509	169559
169560	169645	169650	169747	169809	170230	170384	170445
170583	170584	170624	170848	170861	170901	171080	171090
171091	171191	171203	171345	171362	171363	171426	171449
171478	171480	171625	171710	172102	172368	172369	172396
172404	172421	172422	172583	172623	172653	172666	172681
172761	172766	172950	173051	173201	173263	173869	173966
174003	174469						

CESSATION OF PATENTS

168608 168611 168620 168622 168727 168629 168637 168642
 168644 168645 168647 168656 168657 168660 168662 168681
 168683 168684 168687 168694 168706 168712 168715 168722
 168738 168739 168745 168747 168750 168753 168755 168768
 168778 168779 168792 168802 168807 168815 168826 168845
 168856 168857 168867 168871 168888 168889 168902 168913
 168917 168920 168926 169038 168948 168956 168963 168967
 168970 168988 168991 168995 169027 169039 169048 169075
 169078 169080 169081 169087 169094 169098 169099 169102
 169120 169125 169139 169153 169161 169173 169176 169177
 169195 169199.

PATENT SEALED ON 19-1-96

168400 168806 173795 173866 174131 174894 175395 175478
 175479 175480* 175481* 174482* 175483 175484*
 175485 175486 175487 175488 175489 175491 175492 175496
 175498 175499 175500 175504 175509 175510 175512* 175514
 175516 175517 175519 175520*

CAL—01, DEL—27, BOM—05, MAS—01.

*Patent shall be deemed to be endorsed with the words
 LICENCE OF RIGHT Under Section 87 of the Patent Act,
 1970 from the date of expiration of three years from the date
 of sealing.

REGISTRATION OF DESIGNS

The following designs have been registered. They are not
 open to inspection for period of two years from the date of
 registration except as provided for in Section 50 of the design
 Act, 1911.

The date shown in the each entries is the date of the regis-
 tration included in the entries.

- *Class 1. No. 169403, Velmor Home Decor Pvt. Ltd. of
 Dayasagar Industrial Estate, Godder Road, Bhayan-
 der 401105, Maharashtra, India, Indian com-
 pany, "2WAY DIVERTER WATER SPOUT",
 27th June 1995.
- Class 1. No. 169404, Velmor Home Decor Pvt. Ltd. of
 Dayasagar Industrial Estate, Godder Road, Bhayan-
 der 401105, Maharashtra, India, Indian com-
 pany, "WATER VALVE", 27th June 1995.
- Class 1. No. 169405, Velmor Home Decor Pvt. Ltd. of
 Dayasagar Industrial Estate, Godder Road, Bhayan-
 der 401105, Maharashtra, India, Indian com-
 pany, "SINGLE WAY WATER SPOUT", 27th
 June 1995.
- Class 1. No. 169406, Velmor Home Decor Pvt. Ltd., of
 Dayasagar Industrial Estate, Godder Road Bhyan-
 der 401105, Maharashtra, India, Indian com-
 pany, "HAND SHOWER", 27th June 1995.
- Class 1. No. 169407, Velmor Home Decor Pvt. Ltd., of
 Dayasagar Industrial Estate, Godder Road, Bhyan-
 der 401105, Maharashtra, India, Indian com-
 pany, "SHOP DISH", 27th June 1995.
- Class 1. No. 169408, Velmor Home Decor Pvt. Ltd., of
 Dayasagar Industrial Estate, Godder Road, Bhyan-
 der 401105, Maharashtra, India, Indian com-
 pany, "WALL MOUNTED SHOP DISH", 27th
 June 1995.
- Class 1. No. 169413, Velmor Home Decor Pvt. Ltd., of
 Dayasagar Industrial Estate, Godder Road, Bhyan-
 der 401105, Maharashtra, India, Indian com-
 pany, "TOWEL ROD", 27th June 1995.

- Class 1. No. 169414, Velmor Home Decor Pvt. Ltd., of
 Dayasagar Industrial Estate, Godder Road, Bhyan-
 der 401105, Maharashtra, India, Indian com-
 pany, "SHOWER", 27th June 1995.
- Class 1. No. 169415, Velmor Home Decor Pvt. Ltd., of
 Dayasagar Industrial Estate, Godder Road, Bhyan-
 der 401105, Maharashtra, India, Indian com-
 pany, "BATH ROB BEG", 27th June 1995.
- Class 1. No. 169416, Velmor Home Decor Pvt. Ltd., of
 Dayasagar Industrial Estate, Godder Road, Bhyan-
 der 401105, Maharashtra, India, Indian com-
 pany, "TOWEL ROD", 27th June 1995.
- Class 3. Nos. 168231, 168232 & 168234, American Cyana-
 mid Company, One Cyanamid Plaza, Wayne,
 NJ 07470-8426, U.S.A., "BOTTLE WITH CAP",
 10th October 1994.
- Class 3. Nos. 168168 to 168170, 168174 to 168177, Inter-
 lego AG, a Swiss company of Neuhofstrasse 21,
 CH-6340 Baar, Switzerland, "A TOY", 29th
 September 1994.
- Class 3. No. 168178, Interlego AG, a Swiss company of
 Neuhofstrasse 21, CH-6340, Baar, Switzerland,
 "A WHEELED TOY BUILDING ELEMENT",
 29th September 1994.
- Class 3. Nos. 168285 to 168287, Today's Writing Instru-
 ments Pvt. Ltd. of Dadra Nagar Haveli, Silvassa,
 Maharashtra, India, Indian company, "BALL
 PEN", 21st October 1995.
- Class 3. Nos. 168338 & 168339, Hindustan Vacuum Glass
 Ltd., Sanskriti Bhawan, Jhandewalan, New Delhi-
 110055, India, "VACUUM FLASK", 31st
 October 1994.
- Class 3. Nos. 168396 to 168399, Asha Handicrafts, 84,
 Marol Co-operative Indus Estate, Mathuradas
 Vansanji Road, Marol, Andheri (E), Bombay-59,
 Maharashtra, India and Indian partnership firm,
 "TIFFIN BOX", 16th November 1994.
- Class 4. Nos. 168326 & 168327, Harish Chhabra C/o Siri
 Ram & Sons, 7531/1, Tel Mill Marg, Ram Nagar,
 Paharganj, New Delhi-55, India, "LAMP
 SHADE", 28th October 1994.
- Class 4. No. 169411, Velmor Home Decor Pvt. Ltd. of
 Dayasagar Industrial Estate, Godder Road, Bhayan-
 der 401105, Maharashtra, India, Indian com-
 pany, "GLASS RACK", 27th June 1995.
- Class 1. No. 169412, Velmor Home Decor Pvt. Ltd. of
 Dayasagar Industrial Estate, Godder Road, Bhayan-
 der 401105, Maharashtra, India, Indian com-
 pany, "GLASS RACK", 27th June 1995.
- Class 10. No. 169184, Liberty Shoe Limited, Liberty House,
 Railway Rd., Karnal-132001, Haryana, India,
 "SOLE OF THE SHOE", 16th May 1995.
- Class 10. No. 169185, Liberty Shoe Limited, Liberty House,
 Railway Rd., Karnal-132001, Haryana, India,
 "SOLE OF THE SHOE", 16th May 1995.
- Class 10. No. 169216, Liberty Shoe Limited, Liberty
 House, Railway Road, Karnal-132001, Haryana,
 India, "SHOE", 23rd May 1995.
- Class 10. No. 169386, Liberty Shoe Limited, Liberty
 House, Railway Road, Karnal-132001, Haryana,
 India, "SANDAL", 23rd June 1995.
- Class 10. Nos. 168726 & 168727, API Polymers (India)
 Limited, J-17, Udyog Nagar, Main Rohtak Road,
 New Delhi-110041, India, "SHOE SOLE", 1st
 February 1995.
- Class 12. No. 169159, MGRM Medicare Limited, Sanhya
 Deep, 1st floor, 15, Community Centre, East of

- Kailash, New Delhi-110065, India, a company incorporated under the Companies Act of the above address, "COT FINGER SPLINT MADE OF FABRIC", 12th May 1995.
- Class 12. No. 169171, NGRM Medicare Limited, Sandhya Deep, 1st floor, 15, Community Centre, East of Kailash, New Delhi-110065, India, a company incorporated under the Companies Act of the above address, "RIB BELT MADE OF FABRIC", 12th May 1995.
- Class 12. No. 169158, MGRM Medicare Limited, Sandhya Deep, 1st floor, 15, Community Centre, East of Kailash, New Delhi-110065, "FINGER PROTECTOR SPLINT MADE OF FABRIC", 12th May 1995.
- Class 12. No. 169160, MGRM Medicare Limited, Sandhya Deep, 1st floor, 15, Community Centre, East of Kailash, New Delhi-110065, "SPOON FINGER SPLINT MADE OF FABRIC" 12th May 1995.
- Class 12. No. 169161, MGRM Medicare Limited, Sandhya Deep, 1st floor, 15, Community Centre, East of Kailash, New Delhi-110065, "MESH BACK SUPPORT MADE OF FABRIC", 12th May 1995.
- Class 12. No. 169167, MGRM Medicare Limited, Sandhya Deep, 1st floor, 15, Community Centre, East of Kailash, New Delhi-110065, "WRIST COOK-UP MADE OF FABRIC", 12th May 1995.
- Class 3. No. 169121, The Goodyear Tire & Rubber Company, a corporation organised under the laws of the State of Ohio, with offices at 1144, East Market Street, Akron, Ohio 44316-0001, U.S.A., "TYRE", 3rd May 1995.
- Class 3. No. 169231, The Goodyear Tire & Rubber Company, a corporation organised under the laws of the State of Ohio, with offices at 1144, East Market Street, Akron, Ohio 44316-0001, U.S.A., "TYRE", 29th May 1995.

R. A. ACHARYA,
Controller General of Patent,
Design & Trade Marks